

TomaGold Starts Drilling at Berrigan Mine


1,500-metre Phase 2 drilling program aimed at testing the newly-discovered Berrigan Deep Zone

Montréal, Québec, March 31, 2026 – TOMAGOLD CORPORATION (TSXV: LOT; OTCPK: TOGOF) (“TomaGold” or the “Company”) is pleased to announce that drilling has started at its Berrigan Mine project, located in the Chibougamau Mining Camp, Québec.

The Phase 2 drilling program will consist of approximately 1,500 metres of diamond drilling, with five extension holes targeting previously completed drill holes TOM-25-009 through TOM-25-013. The program aims to further evaluate the Berrigan Deep zone at depth (see Figures 1 and 2), while additional drilling will test new targets generated from ongoing geological and geophysical modeling.


David Grondin, President and CEO of TomaGold, stated: “This next phase will allow us to test the potential of the Berrigan Deep zone, where our best intercept to date returned **5.08% ZnEq (1.19 g/t AuEq) over 98.50 m**, including **23.20% ZnEq (5.44 g/t AuEq) over 4.90 m** in drill hole TOM-25-015. Through these five extension holes, we aim to reach the core of the modeled conductive plates, which could significantly increase the volume of identified mineralization.”

Figure 1: Longitudinal view of the Phase 2 extension drilling program at Berrigan Mine



3D longitudinal section showing drill holes TOM-25-009 to TOM-25-013 (with TOM-25-009 and TOM-25-010 located between TOM-25-011 and TOM-25-014) and their planned extensions (blue lines) targeting the modeled conductive plate at depth, along with significant intersections from holes TOM-25-014 and TOM-25-015 within the Berrigan Deep zone.

Figure 2: Plan view of the Phase 2 extension drilling program at Berrigan Mine



3D plan view showing drill holes TOM-25-009 to TOM-25-013 and their planned extensions (blue lines) targeting the modeled conductive plate at depth, along with significant intersections from holes TOM-25-014 and TOM-25-015 within the Berrigan Deep zone.

Table 1: Summary of Phase 1 drilling results at the Berrigan Mine project

Hole ID	From (m)	To (m)	Length (m)	ZnEq (%)	AuEq (g/t)	Au (g/t)	Ag (g/t)	Cu (%)	Zn (%)
TOM-25-009	156.70	204.75	48.05	5.82	1.36	1.12	7.55	0.04	1.40
<i>including</i>	156.70	159.60	2.90	33.97	7.96	6.76	40.24	0.19	7.57
<i>including</i>	163.95	169.00	5.05	3.42	0.80	0.41	11.35	0.03	1.43
<i>including</i>	181.70	182.90	1.20	12.25	2.87	2.36	19.50	0.03	2.89
<i>including</i>	189.20	194.60	5.40	19.07	4.47	3.75	16.35	0.08	4.81
<i>including</i>	196.00	198.60	2.60	2.06	0.49	0.43	5.28	0.06	0.11
<i>including</i>	204.00	204.70	0.70	37.71	8.85	8.71	9.20	0.05	6.01
	230.35	236.80	6.45	1.23	0.29	0.14	1.23	0.03	0.67
<i>including</i>	235.70	236.80	1.10	5.00	1.17	0.72	2.80	0.04	2.27
	244.50	259.70	15.20	4.87	1.14	0.59	7.22	0.04	2.40
<i>including</i>	254.60	257.15	2.55	22.75	5.29	2.24	32.07	0.15	13.42
TOM-25-010	108.00	111.00	3.00	2.18	0.51	0.51	1.53	0.02	0.23

	120.65	125.00	4.35	8.03	1.87	0.95	9.11	0.05	4.26
<i>including</i>	121.95	125.00	3.05	8.30	1.93	0.84	10.56	0.06	4.86
	130.70	179.00	48.30	2.38	0.56	0.30	4.11	0.04	1.06
<i>including</i>	135.75	142.00	6.25	11.43	2.66	1.63	16.13	0.09	4.79
<i>including</i>	144.80	149.00	4.20	2.01	0.47	0.12	4.68	0.04	1.31
<i>including</i>	158.30	159.35	1.05	3.73	0.87	0.16	5.93	0.10	2.73
<i>including</i>	175.50	177.70	2.20	4.11	0.96	0.79	3.57	0.04	1.04
TOM-25-011	291.00	309.50	18.50	1.81	0.42	0.31	1.97	0.01	0.60
<i>including</i>	295.90	296.40	0.50	4.83	1.12	0.42	5.40	0.04	3.10
<i>including</i>	307.50	309.50	2.00	16.12	3.77	2.63	9.47	0.05	4.30
	341.00	342.00	1.00	2.83	0.65	0.07	1.00	0.02	2.59
	344.10	345.00	0.90	4.69	1.09	0.39	3.50	0.04	3.16
TOM-25-012	283.85	285.00	1.15	5.51	1.31	0.71	4.10	0.88	0.02
TOM-25-013	<i>No significant value</i>								
TOM-25-014	185.00	187.10	2.10	24.85	5.83	4.94	56.44	0.05	4.55
	238.70	239.85	1.15	20.86	4.86	2.63	22.20	0.16	10.40
	251.20	252.60	1.40	36.34	8.51	7.44	37.30	0.06	8.04
	405.30	406.70	1.40	13.68	3.17	1.13	13.15	0.07	9.25
	423.30	426.30	3.00	2.15	0.50	0.07	5.45	0.05	1.57
	451.50	457.50	6.00	1.22	0.28	0.08	3.45	0.01	0.79
TOM-25-015	132.55	141.00	8.45	3.73	0.87	0.51	5.51	0.03	1.66
	155.70	157.70	2.00	28.08	6.56	4.66	26.90	0.07	10.29
	182.10	202.20	20.10	2.20	0.51	0.36	3.20	0.03	0.77
	451.20	549.70	98.50	5.08	1.19	0.82	3.21	0.04	1.98
<i>including</i>	452.20	457.10	4.90	23.20	5.44	4.69	18.80	0.29	4.79
<i>and including</i>	500.35	549.70	49.35	6.46	1.51	0.90	3.48	0.03	3.13
<i>including</i>	521.00	535.60	14.60	9.07	2.11	1.34	5.91	0.04	4.12
<i>including</i>	537.85	541.10	3.25	9.00	2.09	0.88	3.85	0.05	5.82
<i>including</i>	542.00	548.20	6.20	13.39	3.12	1.63	5.26	0.05	7.43

Notes:

- The reported widths represent core lengths. True width is estimated to be approximately 80-85% of the core length, depending on the deviation angles.
- ZnEq and AuEq are calculated using the Company's standard parameters.
- AuEq calculation was based on US\$4,150/oz Au, \$51.34/oz Ag, US\$5.023/lb Cu and \$1.392/lb Zn. $AuEq = Au\ g/t + (Ag\ g/t \times 0.01237) + (Cu\ ppm \times 0.000083) + (Zn\ ppm \times 0.000023)$, applying metallurgical recovery factors of 95% for zinc, 85% for gold and silver, and 90% for copper, based on a metallurgical report on Berrigan Mine zinc material prepared by Process Research Associates Ltd. in February 2002 and on recoveries from nearby deposits for gold, silver and copper.
- ZnEq calculation was based on US\$4,047/oz Au, \$50.22/oz Ag, US\$4.796/lb Cu and \$1.390/lb Zn. $ZnEq = Zn\ ppm + (Ag\ g/t \times 527) + (Au\ g/t \times 42466) + (Cu\ ppm \times 3.45) / 10,000$, applying metallurgical recovery factors of 95% for zinc, 85% for gold and silver, and 90% for copper, based on a metallurgical report on Berrigan Mine zinc material prepared by Process Research Associates Ltd. in February 2002 and on recoveries from nearby deposits for gold, silver and copper.

About the Berrigan Mine Project

The Berrigan Mine property consists of 16 claims totalling 483 hectares located 4 km north-northwest of the town of Chibougamau. TomaGold has an option to acquire 100% of the property from Chibougamau Independent Mines Inc.

The property has been the subject of more than one historical estimate. Met-Chem Canada Inc. prepared the most recent of these in April 2001 in a report titled: “Pre-feasibility study: Etude Conceptuelle, Projects Berrigan and Tortigny” by Chuinard et al. In the report, a resource estimate completed using polygonal estimation techniques stated **1.39 Mt grading 3.17% Zn and 1.77 g/t Au** on the main Berrigan Mine zone. No resource classifications were given for the resource (GM61359).

The mineral resource estimate presented above is historical in nature and was not prepared in accordance with National Instrument 43-101 standards. Accordingly, the reader is cautioned not to rely on this estimate, as the Company is not treating the estimate as a current mineral resource. The qualified person has not done sufficient work to make the resource current. Substantial data compilation, verification, and, potentially, additional drilling and resampling would be required by a qualified person before the historical estimate could be classified as a current mineral resource. There can be no assurance that any portion of the historical mineral resource will ultimately be confirmed or demonstrated to be economically viable. For further information regarding the Berrigan Mine Project, please consult the press release dated [September 13, 2023](#).

Technical Disclosure

The drilling program was managed by Explo-Logik of Val-d’Or, Québec. Drill core was split in half, with one half submitted to AGAT Laboratories at Val-d’Or for analysis. Gold was analyzed by fire assay (50 g) with atomic absorption finish, while base metals were analyzed by four-acid digestion with ICP-OES finish. Samples with gold grades greater than 10 g/t are reprocessed using metallic screening with a 106 µm cutoff. The processed material is split and analyzed by fire assay with ICP-OES finish to extinction. A separate split is prepared to independently analyze mineralized intervals with a target grade greater than 1.00% Cu-Zn using a Na₂O₂ fusion with ICP-OES or ICP-MS finish. Sample preparation duplicates, certified reference standards, and blanks are inserted into the sample stream.

The technical content of this press release has been reviewed and approved by Jean Lafleur, P.Geo., Vice President of Exploration of the Company, and Suzie Tremblay, P.Geo., Vice President of Operations at Explo-Logik Inc. and a consultant to TomaGold, each acting as a Qualified Person under National Instrument 43-101.

About TomaGold

TomaGold Corp. (TSXV: LOT, OTCPK: TOGOF) is a Canadian junior mining company focused on the acquisition, exploration, and development of high-potential precious and base metal projects, with a primary focus on gold and copper in Québec and Ontario. The Company’s core assets are located in the Chibougamau Mining Camp in northern Québec, where it owns the Obalski gold-copper-silver project and holds options to acquire 12 additional properties, including the Berrigan Mine, Brosnan, Radar and Dufault projects. TomaGold also holds a 24.5% joint venture interest in the Baird gold property near the Red Lake Mining Camp in Ontario. In addition, the Company has lithium and rare earth element (REE) projects in the James Bay region, strategically positioned near significant recent discoveries.

Contact:

David Grondin
President and Chief Executive Officer
(514) 583-3490
www.tomagoldcorp.com

Follow TomaGold:

WhatsApp: <https://www.whatsapp.com/channel/0029Vb79qG6LdQeiiErl1e27>

LinkedIn: <https://www.linkedin.com/company/tomagold-corporation>

Facebook: <https://www.facebook.com/TomaGoldCorporation>

Instagram: <https://www.instagram.com/tomagoldcorp>

X: <https://x.com/tomagoldcorp>

Cautionary Statement on Forward-Looking Information

This news release includes certain statements that may be deemed “forward-looking statements”. All statements in this news release, other than statements of historical facts, that address events or developments that the Company expects to occur, are forward-looking statements. Forward-looking statements are statements that are not historical facts and are generally, but not always, identified by the words “expects”, “plans”, “anticipates”, “believes”, “intends”, “estimates”, “projects”, “potential” and similar expressions, or that events or conditions “will”, “would”, “may”, “could” or “should” occur. Although the Company believes the expectations expressed in such forward-looking statements are based on reasonable assumptions, such statements are not guarantees of future performance and actual results may differ materially from those in the forward-looking statements. Factors that could cause the actual results to differ materially from those in forward-looking statements include the potential results of exploration and drilling activities, market prices, continued availability of capital and financing, and general economic, market or business conditions. Investors are cautioned that any such statements are not guarantees of future performance and actual results or developments may differ materially from those projected in the forward-looking statements. Forward-looking statements are based on the beliefs, estimates and opinions of the Company's management on the date the statements are made. Except as required by applicable securities laws, the Company undertakes no obligation to update these forward-looking statements in the event that management's beliefs, estimates, opinions, or other factors should change.

Neither TSX Venture Exchange nor its Regulations Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this news release.